


SPARE PARTS EXPLODED VIEW SOLARSYSTEM


Model


AIR SEPARATOR SET SOLAR DN22

R8217662-01 - 07/11/2016

| 1   | 3722947   | AIR SEPARATOR SET SOLAR DN22 | 03-2015 | -   |
|-----|-----------|------------------------------|---------|-----|
| Col | Reference | Model type                   | Begin   | End |







|              |   |                                  |      | /   |  |         |    |
|--------------|---|----------------------------------|------|-----|--|---------|----|
| ©=           | Description   | Manf. Pt. N                      | Type | (3) | 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 | <u></u> | 1  |
| 0002<br>0003 | AUTOMATIC AIR VENT 6 BAR 3/8Z SOLAR<br>SHUT OFF VALVE G3/8Z I X G3/8Z A SOLAR<br>AIR SEPERATOR DN22 | 65003090<br>65003091<br>65003092 |      | •   | 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 | From    | to |
| 0004         | CLAMP RING DN22, MOUNTING SET<br>CLAMP RING CONNECTION 22/18MM, 22/15MM                             | 65003093<br>65003094             |      | •   |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |
|              |   |                                  |      |     |  |         |    |

## LIST OF THE ABBREVIATIONS

HW ..... : Hot water. : Cold water. CW ..... Cold water.
Ceramic resistance (normal heating).
Ceramic resistance (accelerated heating)
Immersion heater.
With fittings.
Without fittings.
With fittings and another outlet connection.
With mixing valve.
Without mixing valve.
Power of th appliance.
Appliance with normal pression.
Appliance with variable power.
Appliance with fixed power. C ..... Ca ..... TP ..... 1F ..... 2F ..... 3F ..... AMI ..... SMI ..... PN ..... LP ..... PV ..... PF .....

The indications mentionned on the prices, commercial or technical literature and the scheme are written for your guidance and are available at a given time. The CONSTRUCTOR retains the power to modify the presentation, the form, the size,  $\vartheta$  the conception or the material of the products.