


Delta Performance G55


























Delta Performance G55

	Code	Code GA	Quant.	Description	De --- A ---	Remarque
1	30540227	784796	1	Corps moussé Delta Perf.55		
2	21473339		1	Obsolète -Avant Delta Performance F 35	-22-10-19	Obsolète
3	21472339		1	Lat.gauche Delta Perf.F35&Class20		
4	21471339		1	Lat.droit Delta Perf.F35 Class20		
5	21474339		1	Arrière Delta Performanc e F 35		
6	21475338		1	Couvercle Delta Perf.F25-35-45-Class.		
7	21478338		1	Couv.int.Delta Perf.F25-35 &Classic 20		
8	21476338	784652	1	Coiffe BG2000-S 25->55 (Delta Perf.G)		
9	21477338		1	Tableau Delta Perf.F25-35-45 & Classic		
10	2147P263		1	Porte brûleur Alfa Sprint S		
11	51700106	784999	1	Isolation porte brûleur 236x146x30 Alfa	01-06-18-	Prev: 51401049->51700106




















Delta Performance G55 acc

	1		11
	2		12
	3		13
	4		14
	5		15
	6		16
	7		17
	8		18
	9		19
	10		20





Delta Performance G55 acc

Code	Code GA	Quant.	Photo	Description	De --- A ---	Remarque
1	24614093	784704	1	 Tableau cpl Delta Perf. F 25- 35-45		
2	54766016	785234	1	 Interrupteur 2P vert		
3	54766017	785235	1	 Interrupteur 2P jaune		
4	025006		1	 T-stat 0-90°C cap1500 bulb6 TU-L-DT		Prev : 54442045 - Tableau électrique
5	54764021	785212	1	 Bouton rotatif thermostat-trait blanc		
6	54763007	785196	1	 Thermomètre vertical		
7	025005		1	 T-stat 95°C cap1610 bulb6 TU-L-DT		Prev : 54322000 -Tableau électrique
8	54764037	785223	1	 T-stat+reset 96°C 2pole (type TOD)		
9	54428129	785144	1	 Prise M. 6 pôles		
10	49410045	784899	1	 Plonge PVCc 19,5x800 ouverte		
12	507F3033	785935	1	 Réduct.chem. 290->DN150 mm F45/HM		
13	557A0156	786630	1	 Joint réd.chem. 325/290	01-10-12-	Prev: 557A0016
14	507F2005	785929	1	 Chicane Delta C 45/55-25 BF		
15	51700093	784989	1	 Nappe isolante D430x13 - 128kg/m³	01-10-12-	prev: 51305000
16	55426001	785274	1	 Robinet de vidange 1/2		
17	63438001	785296	1	 Doigt de gant laiton 1/2x100 3 bulbes		
18	47438008	784872	1	 Epingle fixation sonde		
19	47405004	784855	1	 Clip fixation C 4434- 1		
20	47405005	784856	1	 Goujon fixation snap-on R 7064		